



**Parc Taulí Sabadell**  
Hospital Universitari  
**Hospital de Sabadell**

---

## **SERVEI DE REUMATOLOGIA**

**PUBLICACIONS EN REVISTES INTERNACIONALS**

**Període: 2010-2014**

---



## Publicacions revistes internacionals (últims 5 anys)

A. Sánchez, M. Szczypiorska, X. Juanola, N. Bartolomé, J. Gratacós, P. Zarco, E. Collantes, M. Artieda, A. Martínez, D. Tejedor, J. Mulero. Association of the intergenic single-nucleotide polymorphism rs10865331 (2p15) with ankylosing spondylitis in a Spanish population. *J Rheumatol*. 2010 Nov;37(11):2345-7.

R. Schiotis, P. Font, A. Escudero, P. Zarco, R. Almodóvar, J. Gratacós, et al. Usefulness of a centralized system of data collection for the development of an international multicentre registry of spondyloarthritis. *Rheumatology (Oxford)* 2011;50(1): 132-6.

L. Carmona, L. Abasolo, MA. Descalzo, B. Pérez-Zafrilla, A. Sellas, F. de Abajo, JJ. Gomez-Reino; BIOBADASER Study Group; EMECAR Study Group (E. Casado, A. Gómez Centeno, J. Gratacós Masmitjá, M. Larrosa Padró en el grup de col·laboradors). Cancer in patients with rheumatic diseases exposed to TNF antagonists. *Semin Arthritis Rheum*. 2011;41(1): 71-80.

M. Cruz Fernández-Espartero, B. Pérez-Zafrilla, A. Naranjo, C. Esteban, AM. Ortiz, JJ. Gómez-Reino, L. Carmona; BIOBADASER Study Group (M. Larrosa Padró, J. Gratacós Masmitjá, E. Casado en el grup de col·laboradors). Demyelinating disease in patients treated with TNF antagonists in rheumatology: data from BIOBADASER, a pharmacovigilance database, and a systematic review. *Semin Arthritis Rheum*. 2011;41(3): 524-33.

V. Ruiz-Esquide, JA. Gómez-Puerta, JD. Cañete, E. Graell, I. Vazquez, MG. Ercilla, O. Viñas, A. Gómez-Centeno, I. Haro, R. Sanmartí. Effects of smoking on disease activity and radiographic progression in early rheumatoid arthritis. *J Rheumatol*. 2011;38(12): 2536-2539.

MA. Descalzo, J. Carbonell, I. González-Álvaro, R. Sanmartí, A. Balsa, V. Hernandez-Barrera, JA. Román-Ivorra, J. Ivorra-Cortés, P. Lisbona, M. Alperi, R. Jiménez-García, L. Carmona; On behalf of SERAP and PROAR Study Groups (M. Larrosa Padró, en el grup de col·laboradors). Effectiveness of a clinical practice intervention in early rheumatoid arthritis. *Arthritis Care Res (Hoboken)*. 2012; 64(3): 321-30.

R. Azagra, G. Roca, G. Encabo, D. Prieto, A. Aguye, M. Zwart, S. Güell, N. Puchol, E. Gené, E. Casado, et al. Prediction of Absolute risk of fragility fracture at 10 years in a Spanish population: validation of the WHO FRAX tool in Spain. *BMC Musculoskelet Disord* 2011;12(1): 30. doi: 10.1186/1471-2474-12-30.

Navarro-Sarabia, JL. Fernández-Sueiro, JC. Torre-Alonso, J. Gratacós, R. Queiro, C. Gonzalez, E. Loza, L. Linares, P. Zarco, X. Juanola, J. Román-Ivorra, E. Martín-Mola, R. Sanmartí, J. Mulero, G. Diaz, Y. Armendáriz, E. Collantes. High-dose etanercept in ankylosing spondylitis: results of a 12-week randomized, double blind, controlled multicentre study (LOADET study). *Rheumatology (Oxford)*. 2011;50(10): 1828-37.



R. Almodóvar, P. Font, P. Zarco-Montejo, E. Collantes, J. Mulero, J. Gratacós, X. Juanola, R. Ariza. Phenotypic differences between familial versus sporadic ankylosing spondylitis: a cross-sectional Spanish registry of spondyloarthropathies (REGISPONSER). Clin Exp Rheumatol. 2011;29(5): 822-7.

N. Montala, X. Juanola, E. Collantes, E. Muñoz-Gomariz, C. Gonzalez, J. Gratacós, P. Zarco, JL, Fernández Sueiro, J. Mulero, JC. Torre-Alonso, E. Batlle, L. Carmona. Prevalence of vertebral fractures by semiautomated morphometry in patients with ankylosing spondylitis. J Rheumatol. 2011;38(5): 893-7.

R. Schiotis, P.Font, A. Escudero, P. Zarco, R. Almodovar, J. Gratacós, J, Mulero, X, Juanola, C, Montilla, E, Moreno, R, Ariza, E. Collantes-Estevez y REGISPONSER working Group (J. Gratacós en el grup de col·laboradors). Usefulness of a centralized system of data collection for the development of an international multicentre registry of spondyloarthritis. Rheumatology 2011;50: 132–136.

S. Muñoz-Fernández, L. Carmona, E. Collantes, J. Mulero, MJ. García-Yébenes, E. de Miguel, R. Almodovar, C.Fernández-Carballido,JF.García Llorente, M. Gobbo i the Esperanza Group (J. Gratacós en el grup de col·laboradors). A model for the development and implementation of a national plan for the optimal management of early spondyloarthritis: the Esperanza Program. Ann Rheum Dis 2011;70: 827–830.

E. Casado, J. Malouf, M. Caamaño, E. Salas, J. Sánchez-Bursón, ML. Rentero, G. Herrero-Beaumont. Defining High Risk of Osteoporotic Fracture: A Cross Talk Between Clinical Experience and Guidelines Recommendations. J Clin Rheumatol 2011;17(5):S59-S66.

M. A. Calzado, J. Carbonell, I. González-Álvaro, R. Sanmartí, A. Balsa, V. Hernández-Barrera, J. A. Román-Ivorra, J. Ivorra-Cortés, P. Lisboa, M. Alperi, R. Jiménez-Garcia, L. Carmona i Grupos de estudio de la SERAP i PROAR (M. Larrosa). Effectiveness of a Clinical Practice Intervention in Early Rheumatoid Arthritis. Arthritis Care & Research. 2012;64 (3): 321-330.

C. Montilla, J. Del Pino-Montes, E. Collantes-Estevez, P. Font, P. Zarco, J. Mulero, J. Gratacós, C. Rodríguez, X. Juanola, JL. Fernández-Sueiro, R. Almodovar; REGISPONSER Study Group. Clinical features of late-onset ankylosing spondylitis: comparison with early-onset disease. J Rheumatol. 2012;39(5):1008-1012.

N. Bartolomé, M. Szezypiorska, A. Sánchez, J. Sanz, X. Juanola, J. Gratacós, P. Zarco, E. Collantes, A. Martínez, D. Tejedor, M. Artieda, J. Mulero. Genetic polymorphisms, inside and outside the MHC, improve prediction of AS radiographic severity in addition to clinical variable. Rheumatology (Oxford): 51(8): 1471-8

R. Azagra, G. Roca, G. Encabo, A. Aguyé, M. Zwart, S. Güell, N. Puchol, E. Gené, E. Casado, P. Sancho, S. Solà, P. Torán, M. Iglesias, MC. Gisbert, F. López-Expósito, J. Pujol-Salud, Y. Fernández-Hemida, A. Puente, M. Rosàs, V. Bou, J.J. Antón, G. Lansdberg, J.C. Martín-Sánchez, A. Díez-Pérez, D. Prieto-Alhambra. FRAX (R) tool, the WHO algorithm to predict osteoporotic fractures: the first analysis of its discriminative and predictive ability in the



Spanish FRIDEX cohort. BMC Musculoskelet Disord 2012;13(1): 204. doi: 10.1186/1471-2474-13-204 .

Julià, R. Tortosa, JM. Hernanz, JD. Cañete, E. Fonseca, C. Ferrándiz, P. Unamuno, L. Puig, JL. Fernández-Sueiro, R. Sanmartí, J. Rodríguez, J. Gratacós, E. Dauden, JL Sánchez-Carazo, JL. López-Estebanz, D. Moreno-Ramírez, R. Queiró, C. Montilla, JC. Torre-Alonso, JJ. Pérez-Venegas, F. Vanaclocha, E. Herrera, S. Muñoz-Fernández, C. González, D. Roig, A. Erra, I. Acosta, A. Fernández-Nebro, P. Zarco, A. Alonso, M. López-Lasanta, A. García-Montero, JL. Gelpí, D. Absher, S. Marsal. Risk variants for psoriasis vulgaris in a large case-control collection and association with clinical subphenotypes. Hum Mol Genet. 2012;21(20): 4549-4557.

M. Larrosa, A. Gomez, E. Casado, M. Moreno, I. Vázquez, C. Orellana, E. Berlanga, J. Ramon, J. Gratacós. Hypovitaminosis D as a risk factor of hip fracture severity. Osteoporos Int. 2012;23(2): 607-14.

M. Cruz Fernández-Espartero, B. Pérez-Zafrilla, A. Naranjo, C. Esteban, A.M. Ortiz, J.J. Gómez-Reino, L. Carmona i grup d'estudi BIOBADASER (E. Casado). Demyelinating disease in patients treated with TNF antagonists in rheumatology: data from BIOBADASER, a pharmacovigilance database, and a systematic review. Semin Arthritis Rheum. 2011;41(3): 524-33.

R. Cáliz, J. del Amo, A. Balsa, F. Blanco, L. Silva, R. Sanmarti, F.G. Martínez, M.D. Collado, M.C. Ramírez, D. Tejedor, M. Artieda, D. Pascual-Salcedo, N. Oreiro, J.L. Andreu, E. Graell, L. Simon, A. Martínez, J. Mulero. The C677T polymorphism in the MTHFR gene is associated with the toxicity of methotrexate in a Spanish rheumatoid arthritis population. Scand J Rheumatol. 2012;41(1): 10-14.

Rodríguez-Lozano C, Juanola X, Cruz-Martínez J, Peña-Arrébola A, Mulero J, Gratacós J, Collantes E. Outcome of and education and home-based exercise programme for patients with ankylosing spondylitis: a nationwide randomized study. Clin Exp Rheumatol. 2013 Sep-Oct;31(5):739-48. Epub 2013 Jul 24. Moreno M.entre grup colaborador

Carmona L, Sellas A, Rodríguez-Lozano C, Juanola X, García Llorente JF, Fernández Sueiro JL, Linares LF, de Castro MC, Moreno M, Zarco P, Ariza R, Baraliakos X, de Miguel E. Scoring with the Berlin MRI method for assessment of spinal inflammatory activity in patients with ankylosing spondylitis: a calibration exercise among rheumatologists. Clin Exp Rheumatol. 2013 Nov-Dec;31(6):883-8. Epub 2013 Dec 20.

E Tomero, J Mulero, E de Miguel, C Fernández, M Gobbo, MA Descalzo, E Collantes, S Muñoz, L Carmona y grupo de estudio ESPERANZA (J Gratacós, M Moreno). Performance of the Assessment of Spondyloarthritis International Society criteria for the classification of spondyloarthritis in early spondyloarthritis clinics participating in the ESPERANZA programme. Rheumatology (Oxford) 2014;53(2):353-60.

JC. Torre-Alonso, J. Gratacós, J. Santos Rey-Rey, JP. Valdazo de Diego, A. Urriticoechea-Arana, E. Dauden, M. Moreno, P. Zarco-Montejo, E. Collantes-Estévez, JA. Fernández-



López. Development and validation of a new instrument to measure health-related quality of life in patients with psoriatic arthritis: The VITACORA-19. *Journal of Rheumatology*, September 17, 2014.

J. Monfort, D. Rotés-Sala, N. Segalés, F.J. Montañes, C. Orellana, J. Llorente, S. Mojal, I. Padró, P. Benito. Comparative efficacy of intra-articular hyaluronic acid and corticoid injections in osteoarthritis of the first carpometacarpal joint. Results of a 6 month single-masked randomized study. *Joint Bone Spine* (2014) Acceptat.

A. Julià, J. Rodríguez, J.L. Fernández-Sueiro, J. Gratacós, R. Queiró, C. Montilla, J.C. Torre-Alonso, J.J. Pérez-Venegas, S. Manrique-Arija, S. Muñoz-Fernández, C. González, D. Roig, P. Zarco, A. Erra, S. Castañeda, A. García, G. Salvador, C. Díaz-Torne, R. Blanco, AW. Domínguez, J.A. Mosquera, P. Vela, J. Tornero, S. Sánchez-Fernández, H. Corominas, J. Ramírez, G. Avila, A. Alonso, R. Tortosa, M. López- Lasanta, J.D. Cañete, S. Marsal. PDE3A-SLCO1C1 locus is associated with response to anti-tumor necrosis factor therapy in psoriatic arthritis. *Pharmacogenomics*. 2014 Nov;15(14):1763-1769.

C. Montilla, A. Díaz-Alvarez, I. Calero-Paniagua, E. Collantes-Estevez, P. Font, R. Almodovar, P. Zarco, R. Queiro-Silva, J.D. Cañete, X. Juanola, J. Mulero, E. de Miguel, J. Gratacós; REGISPONSER Study Group. Ankylosing spondylitis without axial progression: analysis of associated factors. *J Rheumatol*. 2014 Dec;41(12):2409-12. doi: 10.3899/jrheum.140018. Epub 2014 Nov 1.

M.A. Abad, R.A. Ariza, J.J. Aznar, E. Batlle, E. Beltrán, J. de Dios Cañete, E. de Miguel, A. Escudero, C. Fernández-Carballido, J. Gratacós, E. Loza, L.F. Linares, C. Montilla, M.M. Ramos, J. Mulero, R. Queiro, E. Raya, C.R. Lozano, J.R. Moreno, J. Sanz, L. Silva-Fernández, J.C. Torre Alonso, P. Zarco, J.L. Fernández-Sueiro, X. Juanola; 2e study group; Spanish Society of Rheumatology. Standards of care for patients with spondyloarthritis. *Rheumatol Int*. 2014 Feb;34(2):165-70.